


SA

TRAILER

& CHASSIS EQUIPMENT



STUBS & AXLES

- **STUB C/W N.W.P**
- **STUB C/W HUB**
- **AXLE C/W N.W.P**
- **AXLE C/W HUB**





136 Port Wakefield Road, CAVAN SA 5094

Ph. 08 8262 7170 Fax. 08 8262 6123




www.satrailer.com.au

**STUBS TO SUIT STD ('A' TYPE) (LM) BEARING
(1000KG PER PAIR CARRYING CAPACITY)**

PART NO.	DESCRIPTION	LENGTH	(RND STUB)
39R8A	39MM RND STUB c/w 3/4" NUT, WASHER & PIN Suit Bearing Combination LM11949 & LM67048 Grade of Steel: 1045	UP TO 8"	
39R9A		UP TO 9"	
39R10A		UP TO 10"	
39R12A		UP TO 12"	
40S8A	40MM SQ STUB c/w 3/4" NUT, WASHER & PIN Suit Bearing Combination LM11949 & LM67048 Grade of Steel: 1045	UP TO 8"	
40S9A		UP TO 9"	
40S10A		UP TO 10"	
40S12A		UP TO 12"	

PLEASE NOTE : FOR ALL ABOVE PART NO. WE ONLY USE AUSTRALIAN STEEL

**STUBS TO SUIT H/D ('B' TYPE) (SLIMLINE) BEARING
(1250KG PER PAIR CARRYING CAPACITY)**


PART NO.	DESCRIPTION	LENGTH	
50R8B	50MM RND STUB c/w 7/8" NUT, WASHER & PIN Suit Bearing Combination LM12749 & L68149 Grade of Steel: 1045	UP TO 8"	(RND STUB) 
50R9B		UP TO 9"	
50R10B		UP TO 10"	
50R12B		UP TO 12"	
45S8B	45MM SQ STUB c/w 7/8" NUT, WASHER & PIN Suit Bearing Combination LM12749 & L68149 Grade of Steel: 1045	UP TO 8"	
45S9B		UP TO 9"	
45S10B		UP TO 10"	
45S12B		UP TO 12"	
50S8B	50MM SQ STUB c/w 7/8" NUT, WASHER & PIN Suit Bearing Combination LM12749 & L68149 Grade of Steel: 1045	UP TO 8"	(SQ STUB) 
50S9B		UP TO 9"	
50S10B		UP TO 10"	
50S12B		UP TO 12"	

PLEASE NOTE : FOR ALL ABOVE PART NO. WE ONLY USE AUSTRALIAN STEEL



PART NO.	DESCRIPTION	CARRYING CAPACITY	
45P12	45MM SQ X 12" PARALLEL STUB C/W 1" NUT, WASHER & PIN Suit Bearing Combination L68149/10 & L68149/10 Grade of Steel: 1045	800KG	
50P12	50MM SQ X 12" PARALLEL STUB C/W 1" NUT, WASHER & PIN Suit Bearing Combination L68149/10 & L68149/10 Grade of Steel: 1045	800KG	
56D12	56MM RND x 12" "D" TYPE STUB C/W 1" NUT, WASHER & PIN Suit Bearing Combination LM29749/10 & LM67048/10 Grade of Steel: 1045	850KG	
50D12	50MM SQ x 12" "D" TYPE STUB C/W 1" NUT, WASHER & PIN Suit Bearing Combination LM29749/10 & LM67048/10 Grade of Steel: 1045	850KG	
50E12	50MM SQ X 16" 2 TON LIGHT DUTY STUB C/W 1" NUT, WASHER & PIN Suit Bearing Combination 15123/15245 & HR30210J Grade of Steel: 1045	1000KG	
63E16	63MM SQ X 16" 2.25 TON STUB C/W 1" NUT, WASHER & PIN Suit Bearing Combination 15123/15245 & HR30210J Grade of Steel: 1045	1125KG	
63F16	63MM SQ X 16" 3 TON STUB C/W 1.1/4" NUT, WASHER & PIN Suit Bearing Combination 29749/10 & HR30210J Grade of Steel: 1045	1500KG	

PLEASE NOTE : FOR ALL ABOVE PART NO. WE ONLY USE AUSTRALIAN STEEL


FITTED WITH HUB
STUBS TO SUIT PARALLEL BEARINGS

PART NO.	DESCRIPTION	STUD PATTERN	
45P12HF	45MM SQ x 12" PARALLEL STUB c/w HUB ASS. Suit Bearing Combination L68149 & L68149 Grade of Steel: 1045	FORD	
45P12HT5		TLC/5	
45P12HT6		TLC/6	
50P12HF	50MM SQ x 12" PARALLEL STUB c/w HUB ASS. Suit Bearing Combination L68149 & L68149 Grade of Steel: 1045	FORD	
50P12HT5		TLC/5	
50P12HT6		TLC/6	

STUBS TO SUIT "D" TYPE BEARINGS

PART NO.	DESCRIPTION	STUD PATTERN	
56D12HT5	56MM RND x 12" "D" TYPE STUB c/w HUB ASS. Suit Bearing Combination LM29749 & LM67048 Grade of Steel: 1045	TLC/5	
56D12HT6		TLC/6	
50D12HT5	50MM SQ x 12" "D" TYPE STUB c/w HUB ASS. Suit Bearing Combination LM29749 & LM67048 Grade of Steel: 1045	TLC/5	
50D12HT6		TLC/6	


STUBS TO SUIT 2 TON BEARINGS

PART NO.	DESCRIPTION	STUD PATTERN	
50E12HT5	50MM SQ x 16" 2 TON L/D STUB c/w HUB ASS. Suit Bearing Combination 15123/45 & HR30210 Grade of Steel: 1045	TLC/5	
50E12HT6		TLC/6	


PLEASE NOTE : FOR ALL ABOVE PART NO. WE ONLY USE AUSTRALIAN STEEL

FITTED WITH HUB

STUBS TO SUIT 2.25 TON BEARINGS



PART NO.	DESCRIPTION	STUD PATTERN	
63E16HT5	63MM SQ x 16" 2.25 TON STUB c/w HUB ASS. (2.25 TON PER PAIR)	TLC/5	
63E16HT6	Suit Bearing Combination 15123/45 & HR30210 Grade of Steel: 1045	TLC/6	

STUBS TO SUIT 3 TON BEARINGS

PART NO.	DESCRIPTION	STUD PATTERN	
63F16HT5	63MM SQ x 16" 3 TON STUB c/w HUB (3 TON PER PAIR)	TLC/5	
63F16HT6	Suit Bearing Combination LM29749 & HR30210 Grade of Steel: 1045	TLC/6	

PLEASE NOTE : FOR ALL ABOVE PART NO. WE ONLY USE AUSTRALIAN STEEL



AXLE TO SUIT STD ('A' TYPE) (LM) BEARINGS

PART NO.	DESCRIPTION	LENGTH	
39RAOA72	39MM RND [A] AXLE ONLY c/w NUTS, WASHER & PIN Suit Bearing Combination LM11949 & LM67048 Grade of Steel: 1045	UP TO 72"	 <p>SQUARE AXLE</p>  <p>ROUND AXLE</p>
39RAOA84		UP TO 84"	
39RAOA96		UP TO 96"	
40SAOA72	40MM SQ [A] AXLE ONLY c/w NUTS, WASHER & PIN Suit Bearing Combination LM11949 & LM67048 Grade of Steel: 1045	UP TO 72"	
40SAOA84		UP TO 84"	
40SAOA96		UP TO 96"	

PLEASE NOTE: THE PHOTOS SHOWN ARE FOR ILLUSTRATION PURPOSE ONLY

PLEASE NOTE : FOR ALL ABOVE PART NO. WE ONLY USE AUSTRALIAN STEEL


AXLE TO SUIT HD ('B' TYPE) (SLIMLINE) BEARINGS

PART NO.	DESCRIPTION	LENGTH	
50RAOB72	50MM RND [B] AXLE ONLY c/w NUTS, WASHER & PIN Suit Bearing Combination LM12749 & L68149 Grade of Steel: 1045	UP TO 72"	 <p>ROUND AXLE</p>  <p>SQUARE AXLE</p>
50RAOB84		UP TO 84"	
50RAOB96		UP TO 96"	
45SAOB72	45MM SQ [B] AXLE ONLY c/w NUTS, WASHER & PIN Suit Bearing Combination LM12749 & L68149 Grade of Steel: 1045	UP TO 72"	
45SAOB84		UP TO 84"	
45SAOB96		UP TO 96"	
50SAOB72	50MM SQ [B] AXLE ONLY c/w NUTS, WASHER & PIN Suit Bearing Combination LM12749 & L68149 Grade of Steel: 1045	UP TO 72"	
50SAOB84		UP TO 84"	
50SAOB96		UP TO 96"	



PLEASE NOTE: THE PHOTOS SHOWN ARE FOR ILLUSTRATION PURPOSE ONLY

PLEASE NOTE : FOR ALL ABOVE PART NO. WE ONLY USE AUSTRALIAN STEEL

AXLE TO SUIT PARALLEL BEARINGS

PART NO.	DESCRIPTION	LENGTH	
45PA072	45MM SQ x 72" PARALLEL AXLE ONLY c/w NUTS, WASHER & PIN Suit Bearing Combination L68149 & L68149 Grade of Steel: 1045	UP TO 72"	 <p>SQUARE AXLE</p>
45PA084		UP TO 84"	
45PA096		UP TO 96"	
50PA072	50MM SQ x 72" PARALLEL AXLE ONLY c/w NUTS, WASHER & PIN Suit Bearing Combination L68149 & L68149 Grade of Steel: 1045	UP TO 72"	
50PA084		UP TO 84"	
50PA096		UP TO 96"	


AXLE TO SUIT 'D' TYPE BEARINGS

PART NO.	DESCRIPTION	LENGTH	
56DA072	56MM RND "D" TYPE AXLE ONLY c/w NUTS, WASHER & PIN Suit Bearing Combination LM29749 & LM67048 Grade of Steel: 1045	UP TO 72"	 <p>ROUND AXLE</p>  <p>SQUARE AXLE</p>
56DA084		UP TO 84"	
56DA096		UP TO 96"	
50DA072	50MM SQ "D" TYPE AXLE ONLY c/w NUTS, WASHER & PIN Suit Bearing Combination LM29749 & LM67048 Grade of Steel: 1045	UP TO 72"	
50DA084		UP TO 84"	
50DA096		UP TO 96"	


PLEASE NOTE: THE PHOTOS SHOWN ARE FOR ILLUSTRATION PURPOSE ONLY

PLEASE NOTE : FOR ALL ABOVE PART NO. WE ONLY USE AUSTRALIAN STEEL

AXLE TO SUIT 2 & 2.25 TON BEARINGS

PART NO.	DESCRIPTION	LENGTH	 <p>SQUARE AXLE</p>
50EA072	50MM SQ 2 TON L/D AXLE ONLY c/w NUTS, WASHER & PIN Suit Bearing Combination 15123/45 & HR30210 Grade of Steel: 1045	UP TO 72"	
50EA084		UP TO 84"	
50EA096		UP TO 96"	
63EA072	63MM SQ 2.25 TON AXLE ONLY c/w NUTS, WASHER & PIN Suit Bearing Combination 15123/45 & HR30210 Grade of Steel: 1045	UP TO 72"	
63EA084		UP TO 84"	
63EA096		UP TO 96"	

AXLE TO SUIT 3 TON BEARINGS

PART NO.	DESCRIPTION	LENGTH	 <p>SQUARE AXLE</p>
63FA072	63MM SQ 3 TON AXLE ONLY c/w NUTS, WASHER & PIN Suit Bearing Combination LM29749 & HR30210 Grade of Steel: 1045	UP TO 72"	
63FA084		UP TO 84"	
63FA096		UP TO 96"	

PLEASE NOTE: THE PHOTOS SHOWN ARE FOR ILLUSTRATION PURPOSE ONLY

PLEASE NOTE : FOR ALL ABOVE PART NO. WE ONLY USE AUSTRALIAN STEEL

AXLE C/W BLACK HUB TO SUIT STD ('A' TYPE) (LM) BEARINGS

PART NO.	DESCRIPTION	LENGTH
39RT5A72	39MM RND [A] AXLE & HUBS TO SUIT HT Suit Bearing Combination LM11949 & LM67048 Grade of Steel: 1045	UP TO 72"
39RT5A84		UP TO 84"
39RT5A96		UP TO 96"
39RQ5A72	39MM RND [A] AXLE & HUB TO SUIT HQ Suit Bearing Combination LM11949 & LM67048 Grade of Steel: 1045	UP TO 72"
39RQ5A84		UP TO 84"
39RQ5A96		UP TO 96"
39RF5A72	39MM RND [A] AXLE & HUB TO SUIT FORD Suit Bearing Combination LM11949 & LM67048 Grade of Steel: 1045	UP TO 72"
39RF5A84		UP TO 84"
39RF5A96		UP TO 96"
39RCD5A72	39MM RND [A] AXLE & HUB TO SUIT COMMODORE Suit Bearing Combination LM11949 & LM67048 Grade of Steel: 1045	UP TO 72"
39RCD5A84		UP TO 84"
39RCD5A96		UP TO 96"
39RG4A72	39MM RND [A] AXLE & HUB TO SUIT GEMINI Suit Bearing Combination LM11949 & LM67048 Grade of Steel: 1045	UP TO 72"
39RG4A84		UP TO 84"
39RG4A96		UP TO 96"



PLEASE NOTE : FOR ALL ABOVE PART NO. WE ONLY USE AUSTRALIAN STEEL

AXLE C/W BLACK HUB TO SUIT STD ('A' TYPE) (LM) BEARINGS

PART NO.	DESCRIPTION	LENGTH
39RM4A72	39MM RND [A] AXLE & HUB TO SUIT MINI Suit Bearing Combination LM11949 & LM67048 Grade of Steel: 1045	UP TO 72"
39RM4A84		UP TO 84"
39RM4A96		UP TO 96"
39RD4A72	39MM RND [A] AXLE & HUB TO SUIT DATSUN Suit Bearing Combination LM11949 & LM67048 Grade of Steel: 1045	UP TO 72"
39RD4A84		UP TO 84"
39RD4A96		UP TO 96"
39RC4A72	39MM RND [A] AXLE & HUB TO SUIT CORTINA Suit Bearing Combination LM11949 & LM67048 Grade of Steel: 1045	UP TO 72"
39RC4A84		UP TO 84"
39RC4A96		UP TO 96"
39R4MA72	39MM RND [A] AXLE & HUB TO SUIT MAZDA Suit Bearing Combination LM11949 & LM67048 Grade of Steel: 1045	UP TO 72"
39R4MA84		UP TO 84"
39R4MA96		UP TO 96"
39R4HA72	39MM RND [A] AXLE & HUB TO SUIT HONDA Suit Bearing Combination LM11949 & LM67048 Grade of Steel: 1045	UP TO 72"
39R4HA84		UP TO 84"
39R4HA96		UP TO 96"



PLEASE NOTE : FOR ALL ABOVE PART NO. WE ONLY USE AUSTRALIAN STEEL